Revision Date 15.03.2016

Print Date 16.03.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Shell Tellus S2 VX 46
Product code	:	001F8433

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	: Hydraulic oil
Uses advised against	: This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the supplier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	: Shell Deutschland Oil GmbH Suhrenkamp 71-77
	D-22335 Hamburg
Telephone	: (+49) 40 6324-6255
Telefax	: (+49) 40 6321-051
Email Contact for Safety Data Sheet	: If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

1.4 Emergency telephone number

: (+49) 30 3068 6790 (Giftnotruf Berlin)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	No Hazard Symbo	l required
Signal word	:	No signal word	
Hazard statements	:		PHYSICAL HAZARDS: Not classified as a physical hazard according to CLP criteria. HEALTH HAZARDS: Not classified as a health hazard under CLP

Version 1.0	Revision Date 15.03.2016		Print Date 16.03.2016
		criteria. ENVIRONMENTAL HAZ Not classified as environ according to CLP criteria	mental hazard
Precautionary statements :	: Prevention: Response: Storage:	No precautionary phrase	s.
		No precautionary phrase	S.
D	Disposal:	No precautionary phrase No precautionary phrase	

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

High-pressure injection under the skin may cause serious damage including local necrosis.

Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

: * contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65-0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69-9 (01-0000020163-82).

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	(REGULATION	[%]
	Registration	(EC) No	
	number	1272/2008)	
Interchangeable low		Asp. Tox.1; H304	0 - 90
viscosity base oil			
(<20,5 cSt @40°C) *			

Revision Date 15.03.2016

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measu	4.1 Description of first aid measures					
General advice	: Not expected to be a health hazard when used under normal conditions.					
Protection of first-aiders	: When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.					
If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.					
In case of skin contact	: Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.					
	When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop. Obtain medical attention even in the absence of apparent wounds.					
In case of eye contact	: Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention.					
If swallowed	: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.					
4.2 Most important symptoms and	d effects, both acute and delayed					
Symptoms	 Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea. 					
	Local necrosis is evidenced by delayed onset of pain and tissue damage a few hours following injection.					
4.3 Indication of any immediate m	nedical attention and special treatment needed					
Treatment	: Notes to doctor/physician: Treat symptomatically.					
	High pressure injection injuries require prompt surgical intervention an d possibly steroid therapy, to minimise tissue damage and loss of function. Because entry wounds are small and do not reflect the seriousness of the underlying damage, surgical exploration to					
2 / 40	0000400004					

Version 1.0	Revision Date 15.03.2016	Print Date 16.03.2016
	determine the extent of involvement m anaesthetics or hot soaks should be a can contribute to swelling, vasospasm surgical decompression, debridement foreign material should be performed u anaesthetics, and wide exploration is o	voided because they and ischaemia. Prompt and evacuation of under general
SECTION 5: Firefighting meas	ures	
5.1 Extinguishing media		
Suitable extinguishing media	: Foam, water spray or fog. Dry chemica dioxide, sand or earth may be used for	
Unsuitable extinguishing media	: Do not use water in a jet.) -

5.2 Special hazards arising from the substance or mixture

	Specific hazards during firefighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
5.3 A	Advice for firefighters		
	Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
	Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 6.1.1 For non emergency personnel: Avoid contact with skin and eyes. 6.1.2 For emergency responders: Avoid contact with skin and eyes.
	Avoid contact with skin and eyes.

6.2 Environmental precautions

Environmental precautions : Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate

 Version 1.0
 Revision Date 15.03.2016
 Print Date 16.03.2016

 barriers.
 barriers.

 Local authorities should be advised if significant spillages cannot be contained.

 6.3 Methods and materials for containment and cleaning up

 Methods for cleaning up

 :
 Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

General Precautions	-	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
7.1 Precautions for safe handling		
Advice on safe handling		Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Product Transfer		This material has the potential to be a static accumulator. Proper grounding and bonding procedures should be used during all bulk transfer operations.
Fire-fighting class		Fires involving liquids or liquid containing substances. Also includes substances which become liquid at elevated temperatures.
7.2 Conditions for safe storage, in	clu	uding any incompatibilities
Storage class (TRGS 510)	:	10, Combustible liquids
Other data		Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.

Version 1.0	Revision Date 15.03.2016	Print Date 16.03.2016
	Store at ambient temperature.	
	Refer to section 15 for any additional covering the packaging and storage c	
Packaging material	: Suitable material: For containers or constant steel or high density polyethylene. Unsuitable material: PVC.	ontainer linings, use mild
Container Advice	: Polyethylene containers should not be temperatures because of possible risk	
7.3 Specific end use(s)		
Specific use(s)	: Not applicable	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral		TWA	5 mg/m3	US. ACGIH Threshold Limit Values

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Revision Date 15.03.2016

Print Date 16.03.2016

8.2 Exposure controls

Engineering measuresThe level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection	:	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection		
Remarks	:	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference

Shell Tellus 32 VX 40		
Version 1.0	Revision Date 15.03.2016	Print Date 16.03.2016
	short-term/splash protection recognize that suitable glove may not be available and in t time maybe acceptable so lo and replacement regimes are a good predictor of glove res dependent on the exact com	position of the glove material. /pically greater than 0.35 mm
Skin and body protection	: Skin protection is not ordinar work clothes. It is good practice to wear ch	
Respiratory protection	conditions of use. In accordance with good induprecautions should be taken If engineering controls do no concentrations to a level which health, select respiratory pro- specific conditions of use and Check with respiratory protect Where air-filtering respirators appropriate combination of m Select a filter suitable for com	to avoid breathing of material. t maintain airborne ch is adequate to protect worker tection equipment suitable for the d meeting relevant legislation. ctive equipment suppliers. s are suitable, select an nask and filter. mbined particulate/organic gases b boiling point > 65°C (149°F)]
Thermal hazards	: Not applicable	

Environmental exposure controls

	Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given in Chapter 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before discharge to surface water. Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.
--	---

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

sion 1.0		Revision Date 15.03.2016	Print Date 16.03.20
Appearance	:	liquid	
Colour	:	clear	
Odour	:	Slight hydrocarbon	
Odour Threshold	:	Data not available	
рН	:	Not applicable	
pour point	:	-36 °CMethod: ISO 3016	
Initial boiling point and boiling range	:	> 280 °Cestimated value(s)	
Flash point	:	220 °C Method: ISO 2592	
Evaporation rate	:	Data not available	
Flammability (solid, gas)	:	Data not available	
Upper explosion limit	:	Typical 10 %(V)	
Lower explosion limit	:	Typical 1 %(V)	
Vapour pressure	:	< 0,5 Pa (20 °C) estimated value(s)	
Relative vapour density	:	> 1estimated value(s)	
Relative density	:	0,856 (15 °C)	
Density	:	856 kg/m3 (15,0 °C) Method: ISO 12185	
Solubility(ies)			
Water solubility	:	negligible	
Solubility in other solvents	:	Data not available	
Partition coefficient: n- octanol/water	:	Pow: > 6(based on information on similar p	products)
Auto-ignition temperature	:	> 320 °C	
Viscosity			
Viscosity, dynamic	:	Data not available	
Viscosity, kinematic	:	46 mm2/s (40,0 °C) Method: ASTM D445	

Version 1.0	Revision Date 15.03.2016	Print Date 16.03.2016
	7,9 mm2/s (100 °C) Method: ASTM D445	
	2630 mm2/s (-20 °C) Method: ASTM D445	
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
9.2 Other information		
Conductivity Decomposition temperature	This material is not expected to be a sData not available	tatic accumulator.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

Hazardous reactions	: Reacts with strong oxidising agents.	
10.4 Conditions to avoid Conditions to avoid	: Extremes of temperature and direct sunlight.	
10.5 Incompatible materials		
Materials to avoid	: Strong oxidising agents.	
10.6 Hazardous decomposition products		

Hazardous decomposition	: Hazardous decomposition products are not expected	to form
products	during normal storage.	

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Basis for assessment	:	Information given is based on data on the components and	
----------------------	---	--	--

Version 1.0	Revision Date 15.03.2016	Print Date 16.03.2016
	the toxicology of similar products.Unle the data presented is representative of whole, rather than for individual comp	of the product as a
Information on likely routes of exposure	Skin and eye contact are the primary although exposure may occur followir	
Acute toxicity		
Product:		
Acute oral toxicity	LD50 rat: > 5.000 mg/kg Remarks: Expected to be of low toxic	ity:
Acute inhalation toxicity	Remarks: Not considered to be an inf normal conditions of use.	nalation hazard under
Acute dermal toxicity	LD50 Rabbit: > 5.000 mg/kg Remarks: Expected to be of low toxic	ity:

Skin corrosion/irritation

Product:

Remarks: Expected to be slightly irritating., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Serious eye damage/eye irritation

Product:

Remarks: Expected to be slightly irritating.

Respiratory or skin sensitisation

Product:

Remarks: For respiratory and skin sensitisation:, Not expected to be a sensitiser.

Germ cell mutagenicity

Product:

: Remarks: Not considered a mutagenic hazard.

Carcinogenicity

Product:

Remarks: Not expected to be carcinogenic.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skin-

SAFETY DATA SHEET Regulation 1907/2006/EC Shell Tellus S2 VX 46

Version 1.0

Revision Date 15.03.2016

Print Date 16.03.2016

painting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

Reproductive toxicity

Product:

Remarks: Not expected to impair fertility., Not expected to be a developmental toxicant.

STOT - single exposure

Product:

Remarks: Not expected to be a hazard.

STOT - repeated exposure

Product:

Remarks: Not expected to be a hazard.

Aspiration toxicity

Product:

Not considered an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: High pressure injection of product into the skin may lead to local necrosis if the product is not surgically removed.

Remarks: Slightly irritating to respiratory system.

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

Version 1.0	Revision Date 15.03.2016	Print Date 16.03.2016
Summary on evaluation of Germ cell mutagenicity- Assessment	the CMR properties : This product does not meet the criter categories 1A/1B.	ia for classification in
Carcinogenicity - Assessment	: This product does not meet the criter categories 1A/1B.	ia for classification in
Reproductive toxicity - Assessment	: This product does not meet the criter categories 1A/1B.	ia for classification in

SECTION 12: Ecological information

12.1 Toxicity

Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Toxicity to fish (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to crustacean (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to algae/aquatic plants (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to fish (Chronic toxicity)	:	Remarks: Data not available
Toxicity to crustacean (Chronic toxicity)	:	Remarks: Data not available
Toxicity to microorganisms (Acute toxicity)	:	Remarks: Data not available

12.2 Persistence and degradability

Product:	
Biodegradability	: Remarks: Expected to be not readily biodegradable., Major constituents are expected to be inherently biodegradable, but

Version 1.0	Revision Date 15.03.2016	Print Date 16.03.2016
	contains components that may pers	ist in the environment.
12.3 Bioaccumulative potential		
Product:		
Bioaccumulation	 Remarks: Contains components with the potential to bioaccumulate. 	
Partition coefficient: n- octanol/water	: Pow: > 6Remarks: (based on inform	nation on similar products)
12.4 Mobility in soil		
Product:		
Mobility	 Remarks: Liquid under most enviror enters soil, it will adsorb to soil parti mobile. Remarks: Floats on water. 	
12.5 Results of PBT and vPvB as	ssessment	
Product:		
Assessment	: This mixture does not contain any F substances that are assessed to be	
12.6 Other adverse effects		
Product:		
Additional ecological information	 Product is a mixture of non-volatile expected to be released to air in an Not expected to have ozone depleti photochemical ozone creation potential. Poorly soluble mixture., May cause organisms. Mineral oil is not expected to cause aquatic organisms at concentrations 	y significant quantities., on potential, ntial or global warming physical fouling of aquatic any chronic effects to

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	 Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste. 	
	Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.	
Contaminated packaging	: Dispose in accordance with prevailing regulations, preferably	
14 / 18	800010026147 DE	

Version 1.0	Revision Date 15.03.2016	Print Date 16.03.2016
	to a recognized collector or contractor the collector or contractor should be Disposal should be in accordance win national, and local laws and regulation	established beforehand. th applicable regional,
Local legislation Waste catalogue	: EU Waste Disposal Code (EWC):	
Waste Code	: 13 01 10*	
Remarks	: Classification of waste is always the user.	responsibility of the end

SECTION 14: Transport information

14.1 UN number		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 Proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADN	:	Not regulated as a dangerous good
CDNI Inland Water Waste	:	NST 3411 Mineral Lubricating Oils
Agreement		-
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.5 Environmental hazards		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
14.6 Special precautions for user		

14.6 Special precautions for user

Version 1.0	Revision Date 15.03.2016	Print Date 16.03.2016
Remarks	 Special Precautions: Refer to Chapter 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport. 	
14.7 Transport in bulk accordin	g to Annex II of MARPOL 73/78 and the	IBC Code
Pollution category Ship type Product name Special precautions	 Not applicable Not applicable Not applicable Not applicable Not applicable 	
Additional Information	: MARPOL Annex 1 rules apply for bu	Ik shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances sub (Annex XIV)	bject to authorisation : Product is not subject to Authorisation under REACH.			
Water contaminating class (Germany)	WGK 1 slightly water endangering Remarks: Classification according VwVwS, Annex 4.			
Volatile organic compounds	: 0%			
Other regulations	: Technische Anleitung Luft: Product not listed by name. Observe section 5.2.5 in connection with section 5.4.9			
	Product is subject to Vorgaben der Betriebs-Sicherheits- Verordnung (BetrSichV).			
	Youth Employment Law Not Applicable.			
	Maternity Protection Act Not Applicable			
The components of this product are reported in the following inventories:				
The components of this product are reported in the following inventories:				

EINECS TSCA	All components listed or polymer exempt.All components listed.
IOCA	. All components listed.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

16 / 18

,

Revision Date 15.03.2016

Full text of H-Statements H304 Ma

May be fatal if swallowed and enters airways.

Full text of other abbreviations

Asp. Tox. Aspiratio Abbreviations and Acronyms :	n hazard The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
	ACGIH = American Conference of Governmental Industrial Hygienists
	ADR = European Agreement concerning the International
	Carriage of Dangerous Goods by Road
	AICS = Australian Inventory of Chemical Substances
	ASTM = American Society for Testing and Materials
	BEL = Biological exposure limits
	BTEX = Benzene, Toluene, Ethylbenzene, Xylenes
	CAS = Chemical Abstracts Service
	CEFIC = European Chemical Industry Council
	CLP = Classification Packaging and Labelling
	COC = Cleveland Open-Cup
	DIN = Deutsches Institut fur Normung DMEL = Derived Minimal Effect Level
	DNEL = Derived Ninima Effect Level
	DSL = Canada Domestic Substance List
	EC = European Commission
	EC50 = Effective Concentration fifty
	ECETOC = European Center on Ecotoxicology and
	Toxicology Of Chemicals
	ECHA = European Chemicals Agency
	EINECS = The European Inventory of Existing Commercial
	Chemical Substances
	EL50 = Effective Loading fifty ENCS = Japanese Existing and New Chemical Substances
	Inventory
	EWC = European Waste Code
	GHS = Globally Harmonised System of Classification and
	Labelling of Chemicals
	IARC = International Agency for Research on Cancer
	IATA = International Air Transport Association
	IC50 = Inhibitory Concentration fifty
	IL50 = Inhibitory Level fifty
	IMDG = International Maritime Dangerous Goods
	INV = Chinese Chemicals Inventory
	IP346 = Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables
	KECI = Korea Existing Chemicals Inventory
	LC50 = Lethal Concentration fifty
	LD50 = Lethal Dose fifty per cent.
	LL/EL/IL = Lethal Loading/Effective Loading/Inhibitory loading
	LL50 = Lethal Loading fifty
	MARPOL = International Convention for the Prevention of

shell Tellus S2 VX 46			
ersion 1.0	Revision Date 15.03.2016	Print Date 16.03.2016	
	Observed Effect Level OE_HPV = Occupational Exp PBT = Persistent, Bioaccumu PICCS = Philippine Inventory Substances PNEC = Predicted No Effect REACH = Registration Evalu Chemicals RID = Regulations Relating to Dangerous Goods by Rail SKIN_DES = Skin Designatio STEL = Short term exposure TRA = Targeted Risk Assess TSCA = US Toxic Substance TWA = Time-Weighted Avera	NOEC/NOEL = No Observed Effect Concentration / No Observed Effect Level OE_HPV = Occupational Exposure - High Production Volume PBT = Persistent, Bioaccumulative and Toxic PICCS = Philippine Inventory of Chemicals and Chemical Substances PNEC = Predicted No Effect Concentration REACH = Registration Evaluation And Authorisation Of Chemicals RID = Regulations Relating to International Carriage of	
Further information			
Other information	: No Exposure Scenario annex sheet as it is a non-classified substances.	x is attached to this safety data I mixture containing no hazardous	
		a SDS is not required for this has been created on a voluntary elevant information required	
	A vertical bar () in the left ma from the previous version.	argin indicates an amendment	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.